

# PTL-M

## COLD WATER HIGH PRESSURE CLEANER - PETROL POWERED

Due to its on-board power source and self-contained operation, the PTL-M cold water high-pressure cleaner is easy to use even in places where there is no electricity. Suitable for intensive daily use.

### HIGH QUALITY MATERIALS

UV-resistant and thick walled rotation casted polyethylene in combination with stainless steel >>> very solid, colourfast and scratch protection and no corrosion

### MODERN & ERGONOMIC DESIGN

with firm handle



PROFESSIONAL ACCESSORIES:  
Stainless steel lances as standard according to the model

- 2 integrated lance holders
- 2 integrated brackets

INTEGRATED LIFTING EYE  
so the machines can also easily be lifted by a crane

QUICK-CONNECT COUPLINGS  
for replacing accessories

MOBILE  
2 sturdy wheels



Single stainless steel lance with high pressure nozzle and rotating quick coupling  
code: 1.216.729.xxxx



Single stainless steel lance with rotating high pressure nozzle and rotating quick coupling  
code: 1.208.729.xxxx



10 m high pressure hose (3/8")  
code: 1.208.520.020



High pressure gun with swivel  
code: 1.211.525



Radial high pressure pump with 3 ceramic plungers and stainless steel valves



Integrated lifting eye so the machines can also easily be lifted by a crane



TECHNICAL SPECIFICATIONS:

- Petrol engine with electric starting with integrated fuel tank (EB)
- Radial high pressure pump with 3 ceramic plungers and stainless steel valves
- A powder-lacquered steel frame
- Engine/pump coupling via reduction gearbox
- Pressure control valve to adjust the operating pressure
- Pressure gauge
- Coarse particle filter
- Vibration dampers
- GK oupling for connecting the low pressure hose
- Automatic idling

MODELS:

PTL-M													
Barcode	TYPE	bar	l/h	°C	kW	m	l	l	mm	kg			
1.112.350	200/18 B	30 - 200	240 - 1080	40	10,5 (Petrol)	-	7	-	1103x768x1033	94	050		
1.112.500	250/13 B	250	780	40	10,5 (Petrol)	-	7	-	1103x768x1033	94	035		

OPTIONS (TO ORDERED TOGETHER WITH THE MACHINE) :

PTL-M		
1.212.020	Supplement for hose reel with 20 m hose reel for PTL-M ≤ 250 bar	
1.212.040	Supplement for hose reel with 40 m hose for PTL-M ≤ 250 bar	

# PTL-M/ PTL-L

OPTIONAL ACCESSORIES :

## PTL-M



OPTIONAL

1.212.025	Hose reel set with 20 m hose, for PTL-M $\leq$ 250 bar
1.212.045	Hose reel set with 40 m hose, for PTL-M $\leq$ 250 bar

## PTL-L



OPTIONAL

1.212.028	Hose reel set with 20 m hose, for PTL-L $>$ 250 bar
1.212.048	Hose reel set with 40 m hose, for PTL-L $>$ 250 bar

## RECOMMENDED OPTIONAL ACCESSORIES :

The following special accessories are often requested tools for this type of high pressure cleaners. Please inform us of the desired pressure and flow when placing your order.



High pressure extension hoses with quick release from 10 m up to 25 m, suitable for operating pressures  $\leq 250$  bar,  $\leq 350$  bar and  $\leq 500$  bar  
 code : 1.208.520.xxx ( $\leq 250$  bar)  
 1.208.540.xxx ( $\leq 350$  bar)  
 1.208.560.xxx ( $\leq 500$  bar)



Sewer hoses with nozzle and rotating quick coupling from 10 m up to 25 m for an operating pressure  $\leq 200$  bar  
 code : 1.238.220.xxxxx



Flexible spray lance with high pressure nozzle, length 850 mm, for operating pressure  $\leq 200$  bar  
 code : 1.208.828.xxxxx



200 mm foam lance with 1 l tank and quick release, suitable for an operating pressure from  $\leq 250$  bar  
 code : 1.244.251



High pressure grit blasting lance with flat jet nozzle and suction hose, suitable for an operating pressure from  $\leq 250$  bar  
 Length : 900 mm  
 code : 1.258.220.xxxxx



High pressure grit blasting lance with power jet hp nozzle and suction hose, suitable for an operating pressure from  $\leq 350$  bar  
 Length : 900 mm  
 code : 1.258.225.00xxx ( $\leq 350$  bar)



High pressure grit blasting lance with flat jet nozzle and suction hose suitable, for an operating pressure from  $\leq 500$  bar  
 Length : 900 mm  
 code : 1.258.229.15xxx ( $\leq 500$  bar)